HTC

Professional Floor Systems

Product sheet

HTC 800 RX





Maximize your efficiency - HTC 800 RX

The HTC 800 RX uses the same reliable technology as the larger HTC 950 RX and it is similarly equipped, with a battery and an extra wheel for transport. The HTC 800 RX, just like the HTC 950 RX, is a powerful and efficient machine. In addition, the machine's width of 860 mm means it can pass through all standard doors.

The remote control makes the machine very easy to use and it minimises the risks for work related injuries. Without interrupting the grinding, the operator can also handle telephone calls, the dust extractor and other surfaces on the premises, which doubles the capacity. Moreover, the HTC 800 RX is equipped with HTC's patented and well-known drive system, with 2-year warranty. Furthermore, it is equipped as standard with: MCS[™], floating cover, integrated weight system, EZchange[™] and it has a foldable handle that facilitates grinding in cramped spaces.



4 head grinder (X model)

With a 4 head grinder you get an up to 30% more effective grinding and stripping and obviously a more level floor.

HTC


Professional Floor Systems

Product sheet



Outstanding quality

HTC's high quality means that HTC as the only company in the industry can offer a 2 year warranty on the complete machine range. Download data sheet



Floating Grinding Cover

Together with the dust extractor it prevents dust to spread in the premises. Since HTC's grinding covers are flexible you can grind much closer to corners and edges.



MCS™ - Mist Cooler System

A small detail that makes a huge difference. Prevents the metal tools to overheat and significantly increase the machines stripping capacity. Read more



Remote control

The remote control provides a significantly simplified handling of the machine during grinding and transportation. It also makes it possible to grind for a long period of time without a break.

Professional Floor Systems Product sheet

Name	HTC 800 RX	HTC 800 RX
Article Number	113481	113430
Length	1395 mm	55 inch
Width	860 mm	33.9 inch
Height	1263 mm	49.7 inch
Weight	565 kg	49 inch
Motor output	15 kW	20 HP
Power consumption	32 A	40 Amps
Voltage	3 x 380 - 415 V	3 x 460 V
Frequency	50 Hz	60 Hz
Grinding pressure	238 - 258 - 335 kg	530 - 726 lbs
Revolution speed	458 - 1374 r.p.m.	458 - 1374 r.p.m.
Grinding discs	4 x 270 mm	4 x 10.6 inch
Grinding width	800 mm	31.5 inch
Grinding motors	1	1
Water tank	26 L	5.5 gallons
Mist Cooler System	Yes	Yes
Recommended Dust Extraction Systems	HTC 80 iD	HTC 80 iD
Frequency radio control	433, 100 - 434, 750 MHz	433, 100 - 434, 750 MHz
Diode lamps	24 V	24 V

Professional Floor Systems Product sheet

Control current	24 V	24 V
Battery wheel	Lead-acid	Lead-acid
Battery radio	AA (R6)	AA (R6)
Propulsion effect	2 x 0,24 kW	2 x 0,24 kW

