

## Oil and Grease Remover Paste

## **Technical Instruction Sheet**

page 1 of 1

Characteristics:

AKEMI® Oil and Grease Remover Paste is a product which contains solvents and special absorbent substances. It has the following special properties:

- suitable for all kinds of natural and cast stone
- extremely effective, even in the case of intensive staining
- does not contain acids, leaching agents, waxes, resins or silicones
- has a weak odour
- has a pliant, creamy consistency and can therefore also be easily applied to smooth and polished surfaces and has a good adhesion on the surface

Field of Application:

AKEMI® Oil and Grease Remover Paste is used on all kinds of natural and cast stone to remove grease, oil and wax stains as well as discolourations in border areas resulting from plasticizers in sealing materials.

Instructions for Use:

- 1. The surfaces to be treated must be dry.
- 2. In the case of discolourations in border areas, the sealant must be thoroughly removed from the joint.
- 3. Apply AKEMI® Oil and Grease Remover Paste with a brush or spatula (1-2 mm layer at least); recommended working temperature: 5° C-25° C.
- 4. After complete drying up the residue is to be brushed or wiped away.
- 5. In the case of intensive staining and if required, the procedure is to be repeated (several times if necessary).
- 6. It is recommended to apply AKEMI® Stone Cleaner as a final cleaning meas-

**Special Hints:** 

- You should use AKEMI® Liquid Glove to protect your hands when working with the product.
- It is recommended to test the effect of the product on an inconspicuous area first.
- In order to ensure orderly disposal, the tube must be emptied completely.

Safety Measures: see EC Safety Data Sheet

Technical Data: Colour: pale grey

Density: 1.40 g/cm<sup>3</sup>

Shelf life: 1 year approx. if stored in cool place free from frost in its

tightly closed original container.

**Notice:** The above information is based on the latest stage of technical progress. It is to

be considered as a non-binding hint and does not release the user from a performance test, since application, processing and environmental influences are

beyond our realm of control.

TIS 05.03