Professional Floor Systems Product sheet

HTC Greyline™ 40 D



HTC Greyline[™] 40 D is a three-phase dust extractor which is designed to support all grinders in the HTC Greyline[™] series and also many of HTC's more advanced grinders.

The robust and sturdy construction provides a handy machine with high quality and great reliability.

The machine is optimized to handle dry grinding of natural stone, concrete, floor preparation and wood, but the machine is also excellent for other areas where extraction of dust is required.

The machine use the Longopac[™] system for collection of dust, resulting in very easy handling of grinding residue. The machine is also equipped with HEPA 13 filter and anti-static hoses for improved quality and safety.

During transportation, to use as little space as possible, the height of the machine can be adjusted to only 1540 mm (60.5 in).

The machine comes with a cleaning kit included.

HTC

Professional Floor Systems

Product sheet



Low height

To use as little space as possible during transportation the machine is easy to adjust in height. During transportation the height is only 1540 mm, or 60.5 in.



Multi functional

Due to the construction of the vacs they can also be used for other activities in the work place.



Longopac™

Longopac[™] makes it both faster and easier to empty the grinding dust. It is also economically advantageous since 100% of the bag material is used.




Handy

The vacs intelligent construction with robust and stable chassis and large rubber wheels makes them very easy to move around.



HTC Greyline™ simplicity

HTC Greyline™ literally means easy grinding. Just connect the dust extractor with the machine and start grinding.



Clean air

To maintain a clean air, all HTC's dust extractors use HEPA 13 air filters. A HEPA 13 filter must trap 99,97% of all airborne particles bigger than 0.3 microns. The HEPA filters are the most efficient air filters available.

HTC Professional Floor Systems Product sheet

Name	HTC GL 40 D	HTC GL 40 D	HTC GL 40 D
Article Number	113110	113108	113109
Length	1065 mm	1065 mm	42 inch
Width	720 mm	720 mm	28.3 inch
Height	1540 - 1890 mm	1540 - 1890 mm	60.6 - 74.4 inch
Weight	169 kg	169 kg	373 lbs
Motor output	4 kW	4 kW	5.4 HP
Power consumption	15,5 A	9 A	9 A
Voltage	3 x 200-240 V	3 x 370-415 V	3 x 440-480 V
Frequency	50/60 Hz	50 Hz	60 Hz
Dust Extraction motors	1	1	1
Max theoretical airflow	420 m³/h	420 m³/h	294 cfm

